

G4LifeTime(G)


09/22/2012

Antoine LEMASSON

NSCL


History for G4LifeTime

- **Starting point :**
original Code from P. Adrich *et al.* (NIM A) (2009)
Geant4 /C++






History for G4LifeTime

- **Starting point :**
original Code from P. Adrich *et al.* (NIM A) (2009)
Geant4 /C++
- **Since 2010 - Upgrade of the code :**
 - Cleaning up, removal of GUIROOT dependencies
 - Rewriting of the output/storage and analysis
 - More realistic Geometry :
(Improvement on Caps, Dead layers, ...)
 - Additional feature (Cascade decays, ...)
 - Long term maintenance :
Compatibility with upgraded version of G4 (4.9.4p04,),
Git Version control
 - Documentation
Wiki + Doxygen / Simulation Database






History for G4LifeTime

- **Starting point :**
original Code from P. Adrich *et al.* (NIM A) (2009)
Geant4 /C++
- **Since 2010 - Upgrade of the code :**
 - Cleaning up, removal of GUIROOT dependencies
 - Rewriting of the output/storage and analysis
 - More realistic Geometry :
(Improvement on Caps, Dead layers, ...)
 - Additional feature (Cascade decays, ...)
 - Long term maintenance :
Compatibility with upgraded version of G4 (4.9.4p04,),
Git Version control
 - Documentation
Wiki + Doxygen / Simulation Database
- **Lifetime measurement oriented**
(RDDS, Line-Shape, DSAM)
- **S800 + SeGA (Plunger / Barrel)**
experiments at NSCL



History for G4LifeTime


- **Starting point :**
original Code from P. Adrich *et al.* (NIM A) (2009)
Geant4 /C++
- **Since 2010 - Upgrade of the code :**
 - Cleaning up, removal of GUIROOT dependencies
 - Rewriting of the output/storage and analysis
 - More realistic Geometry :
(Improvement on Caps, Dead layers, ...)
 - Additional feature (Cascade decays, ...)
 - Long term maintenance :
Compatibility with upgraded version of G4 (4.9.4p04,),
Git Version control
 - Documentation
Wiki + Doxygen / Simulation Database
- **Lifetime measurement oriented**
(RDDS, Line-Shape, DSAM)
- **S800 + SeGA (Plunger / Barrel)**
experiments at NSCL
- To date : Version 0.4-RC3 (Sept. 2012)




Main Features

- Incoming Beam / Outgoing Beam properties
- Basic reaction mechanisms modeling of Knock Out and fragmentation to reproduce S800 measured outgoing momentum (phenomological)
- Basic S800 Acceptance cuts on : Momentum (dta) and scattering angle (ata, bta)
- Single target or Plunger (Energy loss)
- γ -ray decay in flight (also cascade decays)



dta



ata




bta




Main Features

- Incoming Beam / Outgoing Beam properties
- Basic reaction mechanisms modeling of Knock Out and fragmentation to reproduce S800 measured outgoing momentum (phenomological)
- Basic S800 Acceptance cuts on : Momentum (dta) and scattering angle (ata, bta)
- Single target or Plunger (Energy loss)
- γ -ray decay in flight (also cascade decays)


β after target




β after degrader1




β after degrader2




Decay z




E_γ (lab)




E_γ (DC)





dta



ata



bta



G4Lifetime event timeline

- Shoot Beam
- Track Beam (Energy Loss)
- Reaction
- Track Outgoing reaction product (Energy Loss)
- Decay In flight (Optional)
- Track Gamma rays
- Track Outgoing reaction product (Energy Loss)
- End of Event :
 - Analysis : Sorting events from Hits Collections
 - observables for outgoing ions to S800,
 - Gamma Rays : E_γ , interaction points, Segment energies (SEGA), Doppler Correction
 - ROOTRecorder to store in Tree/Histograms

Primary
Generator

Energy Loss

Reaction

Decay


Hits Tracking

Analysis

Root Recorder



Root Output

- **G4 Data Tree (List Mode)**
 - Positions (reaction, decay, γ -ray interaction points, ...)
 - Ion Energy (Gun, E Loss in target and degraders)



Root Output

- **G4 Data Tree (List Mode)**
 - Positions (reaction, decay, γ -ray interaction points, ...)
 - Ion Energy (Gun, E Loss in target and degraders)
- **Relevant Histograms**
 - S800 :
 - ata, bta, dta, yta
 - SeGA : γ -rays spectra
 - E gamma (lab)
 - E gamma Doppler Corrected (various options ...)



Root Output

- **G4 Data Tree (List Mode)**



- Positions (reaction, decay, γ -ray interaction points, ...)
- Ion Energy (Gun, E Loss in target and degraders)

- **Relevant Histograms**

- S800 :
 - ata, bta, dta, yta
- SeGA : γ -rays spectra
 - E gamma (lab)
 - E gamma Doppler Corrected (various options ...)



- **Modular Beyond ROOT :**

any body should be able to write its own output format (GEB centric ?)



Root Output

- **G4 Data Tree (List Mode)**
 - Positions (reaction, decay, γ -ray interaction points, ...)
 - Ion Energy (Gun, E Loss in target and degraders)
- **Relevant Histograms**
 - S800 :
 - ata, bta, dta, yta
 - SeGA : γ -rays spectra
 - E gamma (lab)
 - E gamma Doppler Corrected (various options ...)
- **Modular Beyond ROOT :**
any body should be able to write its own output format (GEB centric ?)




Practical examples (I)

2+ state lifetime ^{76}Sr :

A.L. Phys Rev C, Rapid Com (2012).

- γ -ray peak line-shape method
- 2^+ state lifetime : $T_{1/2} = 205 (25)$ ps





Practical examples (II)

TRIPLEX campaign in Dec 2011

(**TRIPLE PLUNGER** for **EXOTIC BEAMS**)

1. Br exp : shape coexistence at N=Z
2. Cr exp : collectivity at N=40





Online Spectra

Online spectra compared with preliminary simulations


Simulations were made “” before the experiment “”

G4LifeTime(G) v 0.4 (beta version)

- Including Gretina geometry description from Chris Campbell into G4LifeTime(G)
-  No comparison with “real” data so far !



 Position Resolution 3D Gaussian ! FWHM is input

 Geometry into the existing Code, no advanced feature for Add-Back, γ -ray tracking ...

NNSA-NSSC program (2011-2016)
improve modeling of advanced γ -ray tracking array
(Chris Morse, Kenneth Whitmore, H. Iwasaki, PD(?))

Outlook

Our vision to improve/complete G4LifeTime(G) simulation :

- **Improve the description of geometry for Gretina**
(position, and size of crystal, dead layer)
- **Incorporating surrounding materials in the geometry**
(Sphere, Dewar, Pipe, Plunger, ...)
- **Comparison with data:**
 - The highest priority of the group is to have spectral shapes which are good enough to be used for lifetime measurement and not much on absolute efficiency for now.
 - Plunger data/lifetime from coming experiments (Oct 2012)
 - Efficiency, Peak to Total for single mode (One crystal)
- **Challenges :** Understand the effect of Pulse Shape Analysis and Tracking
 - Peak-to-Total, Position resolution, efficiency
 - and incorporate them in GEANT4 simulation ...